

Maryland Public Health Strategy for Climate Change

Wicomico County Site Visit

Clifford S. Mitchell, MS, MD, MPH
Director, Environmental Health Bureau
Prevention and Health Promotion
Administration

November 4, 2013 Salisbury, MD



Site Visit Agenda

11:00 – 11:15 am	Welcome/Introductions
11:15 – 11:30 am	Overview of Climate Change Project, Site Visit Goals
11:30 am – 12:15 pm	Discussion of Local Health Data, Priorities, Possible Contributions of DHMH Climate Change Project
12:15 – 12:30 pm	Environmental Health Data Portal Demonstration
12:30 – 12:45 pm	Next Steps
12:45 – 1:00 pm	.Wrap-Up



GOALS

- Review overall project
- Discuss Wicomico County Local Health Priorities
- Discuss ways in which climate change might affect local priorities
- Identify products (forecasts, models) that might assist WCHD in achieving its goals
- Discuss one possible regional project (asthma)




Welcome and Introductions

PROJECT TEAM

- Maryland Department of Health and Mental Hygiene
- University of Maryland College Park
- CDC
- Other Partners



Climate Change Project







Maryland Public Health Strategy for Climate Change

- Based on CDC BRACE framework (building resistance against climate effects)
- 4 year cooperative agreement
- Also operates within context of Maryland Climate Change Action Plan

Maryland Public Health Climate Change Strategy







Goals	Objectives	Timeline	Performance Metric(s)
1. Prepare a Climate	1.1 Prepare climate forecast	9/1/2012 —	Forecast products for selected
Forecast and		8/31/2013	regional, local jurisdictions
Vulnerability	1.2 Vulnerability assessment	11/1/2012 -	Mapping of vulnerable
Assessment	•	8/31/2013	populations, quantitative
			vulnerability assessment
2. Project Disease/	2.1 Injuries and Temperature-	9/1/2013 —	Metrics for each selected
Outcome Burden	Related Health Events	3/31/2014	disease or outcome
	2.2 Respiratory Diseases		
	2.3 Water Borne Illness		
	2.4 Food Borne Illness		
	2.5 Vector Borne Disease	1	
3. Develop and	3.1 Develop interventions	1/1/2014 —	Detailed written description of
Evaluate Public Health		8/31/2014	interventions
Interventions	3.2 Assessment of public	3/1/2014 -	Formal health impact
	health interventions using	2/28/2015	assessment of strategies/
	health impact assessment		interventions
	framework		
4. Develop Maryland	4.1 Develop written strategy	3/1/2015 -	Strategy document
Public Health Climate	document within Maryland	8/31/2015	
Strategy	Climate Change Action Plan		
	framework		
	4.2 Obtain feedback from key	9/1/2015 —	Written feedback incorporated
	stakeholders	2/29/2016	in strategy document
	4.3 Adopt and promulgate	3/1/2016 —	Promulgation on DHMH
	strategy	8/31/2016	website, other media
5. Evaluation of	5.1 Develop evaluation	9/1/2014 —	Evaluation using criteria
Maryland Public	framework using common	8/31/2016	adopted by DHMH, Maryland
Health Climate Change	evaluation tools and		Climate Change Commission
Strategy	framework		



Local Public Health Department Mini-grants

- Enable public health professionals in local health departments (LHDs) to utilize climate forecast projections
- Help LHDs implement climate mitigation and/or adaptation strategies necessary to protect public health
- Evaluate the mitigation and/or adaptation strategy used to determine the quality of improvement and to incorporate refined inputs



Local Public Health Department Projects

- Proposals developing in Fall, 2013
 - Baltimore City
 - Prince Georges County
 - Washington County
 - Wicomico County



Health Statistics (Wicomico County)




Provided by
Ann Liu, PhD, MPH
Mickey Wu, MPH
Elizabeth Young, MPH

PRELIMINARY BASELINE HEALTH STATISTICS




Total Injury Rates ED Visits



^{*}Data by jurisdiction not available until 2008; report not available for 2011




Total Injury Rates Hospitalization



^{*}Data by jurisdiction not available until 2008; report not available for 2011




Total Injury Rates Deaths



^{*}Data by jurisdiction not available until 2008; report not available for 2011




Motor Vehicle Injuries ED Visit



^{*}Data by jurisdiction not available until 2008; report not available for 2011




Motor Vehicle Injuries Hospitalization



^{*}Data by jurisdiction not available until 2008; report not available for 2011




All-Cause Mortality



^{*}Data by jurisdiction not available until 2008; report not available for 2011




Mortality – Heart Disease



^{*}Data by jurisdiction not available until 2008; report not available for 2011



Acute MI for Wicomico County ED Visits




Data source: ED visits of Acute MI from DHMH EPHT: Infectious Disease and Environmental Health Administration (years 2007-2009)

http://eh.dhmh.md.gov/idehaweb/query.aspx
All rates are age-adjusted rate per 100,000 population




Heat Stress for Wicomico County ED Visits



Data source: DHMH Environmental Public Health Tracking: Heat Stress Indicator Age-adjusted rates of heat stress (per 100,000 population)




Asthma Emergency Department (ED) Visits






Asthma Inpatient Hospitalizations



Data source: Maryland HSCRC. Age-adjusted rates per 10,000 population




Lyme Disease Incidence





Lyme Disease Cases





Climate Change Projections (Wicomico County)



Provided by University of Maryland School of Public Health Amir Sapkota, PhD Chengsheng Jiang, PhD

EXCESSIVE HOT DAYS



pring


Summer

utumn

Winter


70

Seasonal Temperature Anomalies





Annual Hot Temperature Anomalies





Provided by Environmental Public Health Tracking (EPHT)
John Braggio, PhD, MPH
Mickey Wu, MPH

POLLEN INDICATOR



Pollen Indicator Overview

- CSTE/SEHIC Climate Change Indicator for Pollen (Jan 14, 2013)
- Significance & Background
 - Pollen can adversely influence respiratory health outcomes, such as asthma
 - Future climate change pollen increases, total spores and selected spore types such as ragweed, could result in an increase in respiratory diseases
- Rationale for pollen indicator development
 - A standardized pollen indicator could be of use to both public health professionals and practitioners through the linkage of pollen with asthma and allergic rhinitis




Pollen Indicator Overview, Cont.

Measure(s)

- Date when the pollen season started, by pollen source (i.e., trees, grass, weeds) in a calendar year
- Date when the pollen season ended, by pollen source, in a calendar year
- Length of pollen season, in days, by pollen source, in a calendar year (#2-#1)
- 4. Number and percent of days during the pollen season when pollen readings were categorically elevated (NAB categories of high or very high), by pollen source, in a calendar year
- 5. Mean, minimum and maximum daily pollen counts for the pollen season, by pollen source, in a calendar year
- 6. Pollen types (species) measured in a calendar year




Start of Pollen Season






End of Pollen Season






Length of Pollen Season






Mean (Log) Pollen Grains by Type and Year





Maximum (Log) Pollen Grains by Type & Year





Correlation between. Pollen and Temperature with and without Controlling for PM_{2.5} and O₃

		Correlation Coefficient Partial								
		Temperature	PM _{2.5}	O_3	Temperature					
Total -0	-0.10*	-0.37*	0.13*	-0.35*						
	Tree	-0.14*	-0.37*	0.11*	-0.39*					
Pollen (Average)	Grass	0.26*	-0.16*	0.29*	0.07*					
	Weed	0.40*	-0.01	0.07*	0.57*					
	Ragweed	0.29*	-0.16*	-0.08*	0.58*					

^{*} Significant at p < 0.05

- Temperature shows a positive correlation with grass, weed, and ragweed pollen, but a negative correlation
 with total pollen and tree pollen; this could be due to a seasonal effect.
- Temperature itself also shows positive correlation with grass, weed, and ragweed pollen after controlling effect modifiers fine PM and ozone.



Change in Disease Outcomes


			Asthma		Aller	gic Rhi	nitis	Finger wounds			
Ye	ar	OR	95% CI		OR	95% CI		OR 95% CI		CI	
20	01	1.09	0.95	1.24	5.76*	4.15	7.99	0.86	0.81	0.92	
20	02	0.99	0.85	1.15	6.86*	5.01	9.38	0.83	0.78	0.90	
20	03	1.08	0.94	1.25	7.85*	5.78	10.65	0.86	0.80	0.92	
20	04	1.18*	1.02	1.37	11.04*	8.13	14.99	0.84	0.78	0.90	
20	05	1.20*	1.03	1.41	10.73*	7.87	14.64	0.80	0.74	0.87	
20	06	1.10	0.95	1.27	9.18*	6.77	12.45	0.74	0.69	0.80	
20	07	1.23*	1.06	1.42	9.33*	6.85	12.71	0.69	0.64	0.75	
20	08	1.06	0.90	1.24	8.17*	5.98	11.16	0.64	0.60	0.70	
20	09	1.09	0.94	1.28	9.41*	6.90	12.82	0.58	0.54	0.63	
20	10	1.20*	1.00	1.45	10.17*	7.32	14.11	0.53	0.49	0.59	

^{*} Significant at p < 0.05

- ORs for Asthma increased annually from year 2003 as compared to year 2000 (ref), especially it had increased significantly in year 2004, 2005, 2007, and 2010.
- ORs for Allergic rhinitis had increased significantly every year since year 2001 as compared to year 2000.



Maryland





Distance Effect

	Asthma			Rhinitis			Finger		
	OR	95% CI		OR	95% CI		OR	95% CI	
Distance 0-10	2.81*	2.66	2.97	1.74*	1.65	1.84	1.30*	1.26	1.35
Distance 11-20	1.22*	1.14	1.32	0.86*	0.80	0.92	1.28*	1.23	1.33

Unit: miles * Significant at p < 0.05

- Asthma: OR for distance within 0-10 miles is 2.8 times greater than distance within 21-30 miles (ref), for distance within 11-20 miles is merely 22% greater than distance within 21-30 miles.
- Allergic rhinitis: OR for distance within 0-10 miles is 74% greater than distance within 21-30 miles, but OR for distance within 11-20 miles is 14% less than distance within 21-30 miles.



Contributors

- Clifford S. Mitchell, MD, MPH, MS
- John Braggio, PhD, MPH
- Min Qi Wang, PhD
- Amir Sapkota, PhD
- Chengsheng Jiang, PhD
- Ann Liu, PhD, MPH
- SB Wee
- Mickey Wu, MPH
- Elizabeth Young, MPH
- Rachel Hess-Mutinda, LGSW
- Emily Luckman, MPH, BSN
- Crystal Romeo, MPA